

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1598	(service near2 discovery near protocol)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 12:08
L2	37037	(translat\$4 or convert\$4 or transform\$4) near8 (service)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 12:08
L3	312	L1 L2	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 12:08
L4	26328193	((@rlad<"20040330" or @ad<"20040330" or @ptad<"20040330")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 12:08
L5	240	L3 L4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 12:08
L6	176	5 ((ad near hoc) or ad-hoc)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 12:10
L7	0	(PDA) with fax with (ad-hoc or (ad adj hoc) or adhoc) with SDP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 14:19
L8	0	fax with (ad-hoc or (ad adj hoc) or adhoc) with SDP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 14:19
L9	18	(ad-hoc or (ad adj hoc) or adhoc) with SDP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 14:19

L10	71	(detect\$4 or determin\$4) with (incompatib\$4 or incompatibilit\$4) with (user or client or subscriber) with (provider or server)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 15:54
L11	2019	(convert\$4 or translat\$4 or transform\$4) near6 (service) with (user or client or subscriber) with (server or provider or host)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 15:55
L12	3	10 11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 15:55
L13	271	(service near2 discovery) near4 (interface or port)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:20
L14	0	(translat\$4 or convert\$4 or transform\$4) near8 (sdp or jini or upnp or slp) with (select\$4 or choos\$4) near7 (service near2 discovery) near4 (interface or port)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:27
L15	0	(translat\$4 or convert\$4 or transform\$4) with (sdp or jini or upnp or slp) with (select\$4 or choos\$4) near7 (service near2 discovery) near4 (interface or port)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:27
L16	927	(translat\$4 or convert\$4 or transform\$4) with (sdp or jini or upnp or slp)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:30
L17	26	(select\$4 or choos\$4) near7 (service near2 discovery) near4 (interface or port)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:30
L18	2	16 17	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:30
L19	13	(select\$4 or choos\$4) near7 (service near2 discovery) near4 (interface or port) same (registry or database or memory or buffer or queue)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:35

L20	2	(detect\$4 or determin\$4) with (incompatibilit\$4 or incompatibl\$4 or mismatch) with (SIP) with (user or client or subscriber) with (server or provider)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:45
L21	3	(incompatibilit\$4 or incompatibl\$4 or mismatch) with (SIP) with (user or client or subscriber) with (server or provider)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:46
L22	3	10/115341	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:49
L23	56	(user or client or subscriber) near8 (respons\$4 or reply\$4) with (capabilit\$4 or capabl\$4) with (SIP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:52
L24	319	(user or client or subscriber) near8 (respons\$4 or reply\$4) with (media) (capabilit\$4 or capabl\$4) with (SIP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:52
L25	10	(user or client or subscriber) near8 (respons\$4 or reply\$4) with (media) with (capabilit\$4 or capabl\$4) with (SIP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 16:52
L26	492	(updat\$4 or modif\$4 or chang\$4) with (SIP or (session near descript\$4)) with (client or user or subscriber) with (server or provider)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:01
L27	85	26 (send\$4 or transmit\$4 or forward) near7 (updat\$4 or modif\$5) near8 (sip or (session near2 descript\$4)) with (server or provider)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:01
L28	590	(search or locat\$4 or retriev\$4) near8 (server or provider) with (request\$4 or inquiry) with (internet or IP) with (buffer or queue or database)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:07
L29	427	28 4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:07
L30	16883	(UDP or TCP or RTP) with (server or provider) with (UDP or TCP or RTP) with (user or client or subscriber)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:17

L31	146410	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:17
L32	2556	30 31	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:17
L33	9	(canonical near query near transform)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:19
L34	0	internet near4 (service near2 (database or regist\$4 or buffer or stor\$3)) with (universal descript44)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:20
L35	0	(service near2 (database or regist\$4 or buffer or stor\$3)) with (universal descript44)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:21
L36	0	(database or regist\$4 or buffer or stor\$3) with (universal near4 descript44)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:21
L37	966	(database or regist\$4 or buffer or stor\$3) with (universal near4 descript\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:21
L38	324	service near3 (database or regist\$4 or buffer or stor\$3) with (universal near4 descript \$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:21
L39	282	38 internet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:21
L40	164	39 4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/09 17:22
S1	1	09/806484	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 17:26

S2	1597	(service near2 discovery near protocol)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 17:49
S3	31608	(detect\$4 or determin\$4 or identif\$5) near8 (incompat\$7 or unsuit\$4 or unmatched or mismatch or incompatibilit\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:10
S4	37004	(translat\$4 or convert\$4 or transform\$4) near8 (service)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:11
S5	21	S2 S3 S4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:11
S6	311	S2 S4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:13
S7	26327313	(@rlad<"20040330" or @ad<"20040330" or @ptad<"20040330")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:13
S8	239	S6 S7	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:14
S9	1	10/025611	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:23
S10	1	10/813561	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:28
S11	1	(translat\$4 or convert\$4 or transform\$4) near8 (service) 10/813561	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/07 18:29
S12	1598	(service near2 discovery near protocol)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/08 13:35

S13	37037	(translat\$4 or convert\$4 or transform\$4) near8 (service)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/08 13:35
S14	312	S12 S13	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/08 13:35

EAST Search History (I nterference)

< This search history is empty >

12/ 9/ 2009 7:09:43 PM